



ROAD MANAGEMENT PRODUCTS

ROAD BARRIER



Our road barrier, rigorously tested in a wind tunnel, is designed for areas delimitation, whether for vehicular traffic on roads, motorways or for green belt and limited access areas delineation. Road barriers can be fitted with vertical road signs. The road barriers are made of polyethylene which guarantees an excellent resistance to wear and tear. The rotational moulding manufacture technology guarantees a weld joint free product. The road separators are the ideal solution for temporary re-directing of road traffic as the product can be easily placed and removed. The road separators are equipped with an easy-to-use male-female linking system and being stackable they offer excellent stability. Through its easy male-female fastening system it is possible the realization of linear, curvilinear and other shapes.

IDEAL FOR ROAD SIGNS

The road separator can be used with poles for vertical road signs, direction or limitations signs.

EASY TO FILL AND DRAIN

The barrier is provided with two threaded plugs; the loading plug is located on the top and an unload plug located in the centre at the bottom. The unload plug is used to drain the stabilizing mass (water or sand). Each road barrier has a "max filling level" indicator.

HIGH QUALITY, RESISTANCE AND SAFETY


The road separator is made of high-grade UV-stabilized non-toxic polyethylene with a high resistance to shocks. For improved safety, a reflecting stripe can be inserted in case of reduced visibility conditions. The red colour of the pigment is approved for road use.

CUSTOMIZABLE


Road barriers are customizable with high visibility colours or company logos. A minimum quantity is required.

RAPID OFFLOAD AND INSTALLATION

The main feature of stackable road barriers is versatility. It could be rapidly offloaded and moved by forklift trucks. Stackability decreases volume by up to 50% with significant savings on transport and storage costs. Barriers can be stocked without packaging.



ROAD BARRIERS AND ACCESSORIES



STACKABLE ROAD BARRIER	NJ60/11
Material	Top quality linear polyethylene
Length	100 cm
Width	40 cm
Height	60 cm
40' HC container box	660 pcs
Full Truck	864 pcs
Colours	



STANDARD ROAD BARRIER	NJ60/1
Material	Top quality linear polyethylene
Length	100 cm
Width	40 cm
Height	60 cm
40' HC container box	320 pcs
Full Truck	384 pcs
Colours	



STACKABLE ROAD BARRIER	NJ70/11
Material	Top quality linear polyethylene
Length	100 cm
Width	40 cm
Height	70 cm
40' HC container box	660 pcs
Full Truck	864 pcs
Colours	



STANDARD ROAD BARRIER	NJ70/1
Material	Top quality linear polyethylene
Length	100 cm
Width	40 cm
Height	70 cm
40' HC container box	280 pcs
Full Truck	336 pcs
Colours	



STACKABLE ROAD BARRIER	NJ80/11
Material	Top quality linear polyethylene
Length	100 cm
Width	40 cm
Height	80 cm
40' HC container box	540 pcs
Full Truck	720 pcs
Colours	





Plate made of methacrylate with holes. Available in white and red




FLASHING LIGHT POLE E001TL

Threaded pole to be screwed to the barrier for the application of flashing lights:

- Height 20 cm
- Diameter 4 cm

(flashing light not included)

STACKABLE PARKING BOLLARD



They are useful to delimit paths or temporary parking lots, transits of special vehicles, green belts or pedestrian zones. The parking bollards can be used to delimit parking or delimit specific paths. The parking bollard is ideally suited for use together with road signs, indicators and other traffic regulators to direct traffic. Road traffic signs can advise drivers of danger, inform traffic of no entry access, any diversions or traffic re-direction. They are useful to delimit paths or temporary parking lots, transits of special vehicles, green belts or pedestrian zones etc. The parking bollards can be used to delimit parking or limit the access to specific areas.

USABLE WITH ROAD SIGNS

The Tekcnoplast parking bollard can hold colour and lettered vertical road signs to regulate vehicular and pedestrian circulation. It is possible to use poles for road signs as a support to road traffic. The parking bollards are equipped with a 48mm hole in which a pole can be inserted. Reflecting stripes for a higher visibility can be provided upon request.

YELLOW OR COLOURED

The yellow Tekcnoplast parking bollard is used to indicate preferential lanes, reserved parking spaces or temporary indications of work underway or to delimit reserved parking lots and signs for temporary road worksites. The yellow colour is particularly bright and guarantees visibility even in cases of reduced visibility. Other high visibility colour bollards can be provided with a minimum order quantity.

WATER OR SAND BALLASTED

Bollards are equipped with two threaded 3/4" plugs: a load plug located on the top, used to stabilize with water or sand; the unload plug located in the bottom is used to unload the stabilizing mass.

HANDY AND STACKABLE

The parking bollard is easily stocked and handled. Transport and warehouse costs are significantly reduced as the concave shape allows to stack up to No. 6 bollards. Each pallet is made of 24 pieces.

HIGH QUALITY

Entirely made of top-quality linear polyethylene, the bollards are very resistant to shocks and external agents.

STACKABLE PARKING BOLLARD E001TB

Material	Top quality linear polyethylene
Width	54 cm
Height	53 cm
Capacity	75 L
Ballasted weight	Approx. 75/80 kg
Units per pallet	24 pcs
Pallet dimensions	120 x 120 x 240 cm
Colours	   

MUSOIR BOLLARDS



The musoir bollard is a signage tool specially used to indicate highway and road junctions. It is also widely employed in particular danger situations, to alert of upcoming obstacles, lane separation and similar. It is manufactured from non-toxic Polyethylene which makes it extremely strong and durable, U.V. resistant and recyclable. It is cylindrical and empty and can be ballasted thanks to its upper big screw top. It can be filled with water or heavy aggregate bags. It is provided with a water unload plug located at the bottom.


The musoir incorporates reflective arrows to indicate the possible directions to take while ensuring high visibility from a considerable distance.

INSTALLATION

Musoirs can be easily installed in place, the shape allows easy load and offload operations. Firmly screw the bottom unload plug, remove the upper big top and fill with water or heavy aggregate bags. While ballasting with water, it is recommended not to exceed an internal level of 20 cm. If water filled, we recommend adding anti-freeze liquids in order to avoid water volume expansion during cold winter periods.

MAINTENANCE

Being made of top-quality polyethylene, the tool does not require particular care, except for the periodic cleaning of the reflective arrows, which due to dust can reduce their refraction.



MUSOIR BOLLARDS	IND90	IND100	IND150
Material	Top quality linear polyethylene	Top quality linear polyethylene	Top quality linear polyethylene
Width	90 cm	100 cm	150 cm
Height	114 cm	114 cm	149 cm
Colours	 	 	 

FENCING BARRIER



Portable barrier with removable feet. Easy to assemble and store. Manufactured from HDPE material, treated with UV stabilizers for durability. Comes with reflective band on the top section, included. Suitable for a wide range of internal and external pedestrian applications. Common uses include construction, excavation, roadworks, events and public services.

FENCING BARRIER

The mobile fencing barriers can be arranged and connected to any length required from 2 meters onwards. Ideal for event management and pedestrian control use. Suitable for construction applications around temporary excavations and roadworks. One-piece barrier with two adjustable feet, made of sturdy high density polyethylene.

CONNECTION SYSTEM

The innovative design of the connection system ensures secure joints, on uneven surfaces, curbs, up hills and rough terrain. The maximum stackable quantity per pallet is 42 pieces.

FENCING BARRIER	TRAAR200
Material	HD Polyethylene
Length	193 cm
Width	4,5 cm
Height	100 cm
H. from the ground	19,5 cm
Weight	12,3 kg
Pieces per pallet	42
Pallet size	100 x 200 x h230 cm
Equipment	Feet supplied unassembled
Colour	

SAFETY BARRIER



Plastic (HDPE) barriers are a valid alternative to metal ones and offer quality, safety and speed of use in the delimitation of spaces on road construction sites and temporary work areas, in sporting events, shows and events of various kinds. The barrier is non-deformable, flexible and easily transportable.

HDPE SAFETY BARRIER

White/red reflective band, included in the upper section. Black feet in contrast with the rest of the barrier, with a large support surface and rotatable to increase stability. The structure, light and non-deformable, is equipped with a built-in system that allows the stacking of up to a maximum of 42 pieces, facilitating handling, shipping and storage. The barrier can also be customized with the insertion of advertising or signage panels, in addition to the areas provided for the bands, which can also be customised.

SAFETY BARRIER	TRARO200
Material	High Density Polyethylene (HDPE)
Length	196 cm
Width	5 cm
Height	100 cm (excl. provision for flashing light)
H. from the ground	19,5 cm
Weight	11,3 kg
Pieces per pallet	42
Pallet size	100 x 200 x h230 cm
Equipment	Feet supplied unassembled
Colour	

FEET ASSEMBLY



FEET ASSEMBLY

